

7607:

Bracket with Flat Bottom, To fix glass panels to flat surface

7608:


Bracket with Curved bottom,


To fix glass panes! to curved surface

- With an adjusting screw to adjust the clamping force
- Designed for 8-10mm (5/16"-3/8") thick tempered glass
- Thickness of glass to be specified in the order.
- Material: Stainless Steel
- Standard Finishes:

 PSS (Polished Stainless Steel),

 SSS (Satin/Brushed Stainless Steel)








7608

7607S









7608S




7607S


Junior size of bracket with Flat Bottom, to fix glass panels to flat surface

7608S

Junior size of bracket with Curved bottom, to fix glass panels to curved surface

- •Designed for 6-10mm(1/4"-3/8") thick tempered glass
- •Thickness of glass to be specified in the order.
- •Material: Stainless Steel
- •Standard Finishes:
 PSS (Polished Stainless Steel),
 SSS (Satin/Brushed
 Stainless Steel)







7605:


Square Clamp, with Flat Bottom, to fix glass panels to flat surface


7606:


Square Clamp, with Curved Bottom, to fix glass panels to curved surface


- •Designed for 8-10mm (5/16"-3/8") thick tempered glass
- •Thickness of glass to be specified in the order.
- •Material: Stainless Steel
- •Standard Finishes:

PSS (Polished Stainless Steel), SSS (Satin/Brushed Stainless Steel)









7605L:

Senior Size square clamp, with Flat Bottom, to fix glass panels to flat surface

7606L:

Senior size square clamp, with Curved Bottom, to fix glass panels to curved surface

- Designed for 8-12mm (5/16"-1/2")
 thick tempered glass
- Thickness of glass to be specified in the order.
- Material: Stainless Steel
- Standard Finishes:
 PSS (Polished Stainless Steel),
 SSS (Satin/Brushed Stainless Steel)

GLASS CONNECTORS



7600 SERIES

7600 Series of brackets are designed for multi applications including use for Balustrades.



With Flat Bottom, to fix glass panels to flat surface


7602:


With Curved Bottom, to fix glass panels to curved surface

- Designed for 6-8mm (1/4"-5/16") thick tempered glass
- Thickness of glass to be specified in the order.
- · With an adjusting screw to adjust the clamping force
- Material: Zinc Alloy

⊙ ⊙

 Standard Finishes: Chrome Plated (CP) Satin Chrome Plated (SCP). Brushed Nickel (BN), Polished Nickel (PN), Gold Plated (GP) Satin Gold Plated (SGP), Gun Metal (GM), Brushed Antique Brass (BAB), Brushed Antique Copper (BAC), Polished Brass (PB), Polished Copper (PC)





Glass Edge 52mm [2-1/16"]



7603:

With Flat Bottom, to fix glass panels to flat surface

7604:

With Curved Bottom, to fix glass panels to curved surface

- Designed for 8-10mm (5/16"-3/8") thick tempered glass
- With an adjusting screw to adjust the clamping force
- Material: Zinc Alloy
- Standard Finishes:
- Chrome Plated (CP) Satin Chrome Plated (SCP), Brushed Nickel (BN), Polished Nickel (PN), Gold Plated (GP) Satin Gold Plated (SGP), Gun Metal (GM), Brushed Antique Brass (BAB), Brushed Antique Copper (BAC), Polished Brass (PB), Polished Copper (PC)




7607L

Senior size of bracket with Flat Bottom, to fix glass panels to flat surface

7608L

Senior size of bracket with Curved bottom, to fix glass panels to curved surface

- Designed for 8-12mm (5/16"-1/2") thick tempered glass
- Thickness of glass to be specified in the order.
- Material: Stainless Steel
- Standard Finishes:
 PSS (Polished Stainless Steel),
 SSS (Satin/Brushed
 Stainless Steel)





Glass Edge

7609:

With Flat Bottom, to fix glass panels to flat surface

7610:

With Curved Bottom, to fix glass panels to curved surface

- Designed for 6-8mm (1/4"-5/16") thick tempered glass
- Thickness of glass to be specified in the order.
- With an adjusting screw to adjust the clamping force
- Material: Stainless Steel
- Standard Finishes:
 PSS (Polished Stainless Steel),
 SSS (Satin/Brushed
 Stainless Steel)